

A DAWSON DOOR PRODUCT:

STANDARD SERIES

CUSTOM CRAFTED OPTIONS & TECHNICAL SPECIFICATIONS

A PREMIER AMERICAN METAL FABRICATOR SINCE 1946



DAWSON

DOOR PRODUCT /

STANDARD SERIES

Laser cut from single sheets of material, our Standard Series doors create a truly seamless door face with no face welding. Brake formed glass stops are applied at both the interior and exterior of the door with no exposed fasteners, a feature only available at Dawson. Every Standard Series door is available with an array of options including crossrails, muntins, grilles, as well as custom shaped glazing stops. The all industry standard hardware can be incorporated to these doors due to the versatile design and custom engineering available by Dawson. All Standard Series doors and frames are available in painted finishes as well as most industry standard finishes.



40 East 72nd Street, Manhattan, NY, United States

KEY FEATURES

Discover the product features and technical specifications below to see if the Standard Series is the right fit for your next project.



CUSTOM OPTIONS

Choose amongst several configurations - Balanced, Offset Pivoted, Center Hung, Butt Hung, or Continuous Hinged - as well as several material and finishing options.



BEST-IN-CLASS DESIGN

Strong, durable and corrosion-resistant materials protect against all conditions.




10 YEAR WARRANTY

Dawson stands by its quality engineered products and advanced manufacturing processes, thus offering ten years of warranty on standard sizes.

TECHNICAL SPECIFICATIONS

Thickness	1 3/4" or 2"
Width	3'-8"max.
Height	10'-0" max.
Glass / Glazing	Surface mounted glazing stops with removable stop at the interior or applied angle glazing stop at the exterior to accommodate thicker glass. No exposed fasteners
Sightline	2 1/4" min.
Top Rail	Limitless*
Bottom Rail	Limitless*
Threshold Material	Bronze or Stainless Steel
Finish Hardware	Available to match as per all door materials and finish requirements

*consult factory for alternatives



ADDITIONAL INFORMATION



Accepts several glass thicknesses: 1/4" up to 1" (monolithic, laminated, and insulated)



Integration of all industry exit devices and egress hardware.



Compatibility for locking mechanisms: magnetic locks, electric exit devices, electric strikes, and all key operated stile mounted locking devices.



Easy integration with auto operators

AVAILABLE FINISHES

BRASS

No. 4 Satin



No. 6 Satin



Non Directional (Angel Hair)



STAINLESS

No. 4 Satin



No. 6 Satin



PAINTED

Kynar



Powder Coating




FEATURED PROJECTS



40 East 72nd Street, Manhattan, NY, United States



Erie - Lackawanna Train Station, United States



Private Residence, Connecticut, United States



Erie - Lackawanna Train Station, United States

Installation-Repair-Service
Specializing from the Conceptual Design
1-800-371-2208

New York & New Jersey Premier Door Company

